



BCB

BROADCAST
CAMERA
BATTERIES

Why Choose BCB?

TOP QUALITY

We always ensure our batteries and chargers are of top quality.



QUALITY

- Our batteries use high quality SANYO cells, like other top brands
- We perform thorough testing on all our products, both at the factory and before distribution to ensure we only ship products in perfect condition!
- We provide a 1-year warranty on all products
- We provide a 30-day money back guarantee on all products

CERTIFICATIONS

Our Products are in compliance with the following directives:

- EMC 2004/108/EC
- LVD 2006/95/EC
- ROHS 2002/95/EC
- GB/T 19001-2008/ISO 9001:2008

AFFORDABLE PRICE

Besides providing top notch products we are also committed to provide our products at great prices so that most companies can afford them.

SERVICE PROVIDED IN JAPAN

Our warehouse is located in Tsukuba, Ibaraki, where we provide the following services:

- All of our V-Mount products are Stocked in Japan (Gold Mount available by special order)
- We ship products immediately
- We provide phone and email support
- We are committed to serving our customers to the best of our ability. If you have any custom requests please let us know!

BCB

BROADCAST CAMERA BATTERIES, INC.
Katsuraginesaki 45-1
Tsukuba, Ibaraki 305-0824

Email: bcb@crosswire.co.jp
Phone: 090-3515-6026
Web: www.bcbinc.jp

TECHNICAL DETAILS

BCB batteries have the following technical features to ensure long-lasting performance.



TECHNICAL SAFETY

- Overcharge protection
- Over-discharge protection
- Over-current protection
- Short-circuit protection

IMPACT RESISTANCE

- Our BCB batteries have been tested to withstand a drop from up-to 4 ft high.

BALANCED WEIGHT

- The weight of all BCB batteries is balanced, so you don't need to take any additional actions when attaching them to your camera.

BCB - Gold Mount & V-Mount Batteries



TECHNICAL INFORMATION

Cells: SANYO
 Voltage: 14.8V
 Mount: Gold Mount (AL) / V-Mount (BL)
 Operating Temperature: -4 to +122 F
 Safety: overcharge, over-discharge, overcurrent, short-circuit protection

4-level LED lights
 2-pin D-tap connector
 2.0A Charging Port

WARRANTY

1 year limited warranty from the date of purchase.

<p>BZ-70AL \ BZ-70BL (70Wh, 4.7Ah) ¥23,900 (+tax) Size: 3.7" x 6.1" x 2" Weight: 1.32lbs</p>	<p>BZ-160AL \ BZ-160BL (160Wh, 10.8Ah) ¥58,500 (+tax) Size: 3.7" x 6.1" x 2" Weight: 1.87lbs</p>
<p>BZ-98AL \ BZ-98BL (98Wh, 6.6Ah) ¥33,800 (+tax) Size: 3.7" x 6.1" x 2" Weight: 1.43lbs</p>	<p>BZ-190AL \ BZ-190BL (190Wh, 12.8Ah) ¥67,800 (+tax) Size: 3.7" x 6.1" x 2.6" Weight: 2.87lbs</p>
<p>BZ-130AL \ BZ-130BL (130Wh, 8.8Ah) ¥47,600 (+tax) Size: 3.7" x 6.1" x 2" Weight: 1.50lbs</p>	<p>BZ-230AL \ BZ-230BL (230Wh, 15.5Ah) ¥77,000 (+tax) Size: 3.7" x 6.1" x 2.6" Weight: 3.30lbs</p>

BCB - Gold Mount & V-Mount Chargers

TECHNICAL INFORMATION

Mount: Gold Mount (AL) / V-Mount (BL)
Operating Temperature: From 14 till 113 F

WARRANTY

1 year limited warranty from the date of purchase.

CZ-1L (universal single charger) ¥19,000 (+tax)

Input Power: AC 100-240V, 50-60Hz, 50VA
Charging Output: DC16.8V/2A
Size: 4.7" x 2.7" x 1.4"
Weight: 0.84lbs



CZ-2L (universal double charger) ¥29,000 (+tax)

Input Power: AC 100-240V, 50-60Hz, 50VA
Charging Output: DC16.8V/1A x 2
Size: 4.7" x 2.7" x 1.4"
Weight: 0.84lbs

CZ-2AL \ CZ-2BL (double charger) ¥45,000 (+tax)

Input Power: AC 100-240V, 50-60Hz, 80VA
Charging Output: 16.8V / 1.6A, 2 channels,
DC15V / 70W
Size: 8.5" x 5.7" x 2.8"
Weight: 3.31lbs



BCB - Gold Mount & V-Mount Chargers

CZ-4AL \ CZ-4L (quad charger) ¥79,000 (+tax)

Input Power: AC 100-240V, 50-60Hz, 160VA

Charging Output: 16.8V / 1.6A, 4 channels,
DC15V / 70W

Size: 10.0" x 4.9" x 6.3"

Weight: 4.86lbs



BCB - Gold Mount & V-Mount Plates

WARRANTY

1 year limited warranty from the date of purchase.

Gold Mount Plate

Size: 4.7" x 3.0" x 0.6"

Weight: 0.37lbs

¥9,900 (+tax)



V-Mount Plate

Size: 5.6" x 3.3" x 0.6"

Weight: 0.37lbs

¥9,900 (+tax)

BCB

BROADCAST CAMERA BATTERIES, INC.
Katsuragesaki 45-1
Tsukuba, Ibaraki 305-0824

Email: bcb@crosswire.co.jp
Phone: 090-3515-6026
Web: www.bcbinc.jp